

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: IKON Pflege-Spray

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Lubricant

Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier ASSA ABLOY Sicherheitstechnik GmbH

Attilastraße 61-67 12105 Berlin

Telephone: +49 (0)30 / 8106-0

Contact Person:

Telephone: +49 (0)30 / 8106-0 E-mail: berlin@assaabloy.com

1.4 Emergency telephone number: +49 (0)6131 / 19240 (Giftinformationszentrum Mainz)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to regulation (EU) 1272/2008 (CLP).

Classification according to Regulation (EC) No 1272/2008 as amended.

Physical Hazards

Flammable aerosol Category 1 H222: Extremely flammable aerosol.

H229: Pressurized container: May burst if heated.

Health Hazards

Aspiration Hazard Category 1 H304: May be fatal if swallowed and enters

airways.

Hazard summary

Physical Hazards: Flammable aerosol.

Health Hazards

Skin Contact: At long or repeated contact with skin it may cause dermatitis due to the

degreasing effect of the solvent.

Issue Date: 29.05.2015

Revision Date: 25.11.2015

Version: 4.2

Print date:: 11.04.2018



2.2 Label Elements



Signal Words: Danger

Hazard Statement(s): H222: Extremely flammable aerosol.

H229: Pressurized container: May burst if heated.

Precautionary Statement

General information: P102: Keep out of reach of children.

Prevention: P210: Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P211: Do not spray on an open flame or other ignition source.

P251: Do not pierce or burn, even after use.

Storage: P410+P412: Protect from sunlight. Do not expose to temperatures

exceeding 50°C/122°F.

Supplemental label information

EUH066: Repeated exposure may cause skin dryness or cracking.

2.3 Other hazards: By handling of mineral oil products and chemical products no particular

hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the

environment without control.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

General information: Mixture of components with propellant in aerosol can.

Chemical name	Identifier		REACH Registration No.	Notes
Butane	EINECS: 203-448-7	>=0,00 - <=50,00%	01-2119474691-32	
Propane	EINECS: 200-827-9	>=0,00 - <=50,00%	01-2119486944-21	
Hydrocarbons, low viscous	EINECS: 265-067-2	20,00 - <50,00%	01-2119472146-39	

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. PBT: persistent, bioaccumulative and toxic substance.

Issue Date: 29.05.2015

Revision Date: 25.11.2015

Version: 4.2

Print date:: 11.04.2018

vPvB: very persistent and very bioaccumulative substance.



Product name: IKON Pflege-Spray

Classification

Chemical name	Identifier	Classification	
Butane	EINECS: 203-448-7	CLP:	Flam. Gas 1;H220, Press. Gas H280
Propane	EINECS: 200-827-9	CLP:	Flam. Gas 1;H220, Press. Gas H280
Hydrocarbons, low viscous	EINECS: 265-067-2	CLP:	Asp. Tox. 1;H304

CLP: Regulation No. 1272/2008.

For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

General: Change clothes and shoes contaminated or soaked by the product. Never

put rags contaminated by the product into clothing pockets.

4.1 Description of first aid measures

Inhalation: Supply fresh air; consult doctor in case of symptoms.

Eye contact: Promptly wash eyes with plenty of water while lifting the eye lids.

Skin Contact: Wash with soap and water. The product is not skin irritating.

Ingestion: Call a physician or poison control center immediately. Rinse mouth. Never

give liquid to an unconscious person. If vomiting occurs, keep head low so

that stomach content doesn't get into the lungs.

4.2 Most important symptoms and effects, both acute and

delayed:

Dizziness Freeze burns

4.3 Indication of any immediate

medical attention and special treatment needed

May be fatal if swallowed and enters airways. Get medical attention if

symptoms occur.

SECTION 5: Firefighting measures

General Fire Hazards: Use water spray to keep fire-exposed containers cool. Fight fire from a

protected location. Move containers from fire area if you can do so without

risk.

5.1 Extinguishing media

Suitable extinguishing

media:

CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant

added

Unsuitable extinguishing

media:

Water with a full water jet.

5.2 Special hazards arising

from the substance or

mixture:

Print date:: 11.04.2018

Danger of explosion with aerosol cans.

Issue Date: 29.05.2015
Revision Date: 25.11.2015

Version: 4.2



5.3 Advice for firefighters

Special fire fighting procedures:

Use fire fighting measures that suit the environment. Move container from

fire area if it can be done without risk.

Special protective equipment for fire-fighters: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep

upwind. Keep away from sources of ignition - No smoking.

6.2 Environmental Precautions:

Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up:

Scrape up spillage or absorb with absorbing material. Stop the flow of material, if this is without risk. Dispose of the material collected according to regulations.

6.4 Reference to other sections:

See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk.

SECTION 7: Handling and storage:

7.1 Precautions for safe handling:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Avoid contact with flame and heat source, prevent contact with direct sunlight Use only in well-ventilated areas.

7.2 Conditions for safe storage, including any incompatibilities:

Store locked up. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Local regulations concerning handling and storage of waterpolluting products have to be followed. Local regulations for the storage and handling of aerosol cans and flammable liquids have to be kept. Keep away from heat/sparks/hot surfaces. - No smoking.

7.3 Specific end use(s): not applicable

Storage Class: 2 B, Aerosols

Issue Date: 29.05.2015 Revision Date: 25.11.2015 Print date:: 11.04.2018 SDS DE - EN - 000000000600448424

Version: 4.2



SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

Occupational Exposure Limits

Chemical name	type	Exposure Limit Values	Source
Butane	AGW	1.000 ppm 2.400 mg/m3	Germany. TRGS 900, Limit Values in the Ambient Air at the Workplace (01 2012)
Propane	AGW	1.000 ppm 1.800 mg/m3	Germany. TRGS 900, Limit Values in the Ambient Air at the Workplace (01 2012)
Hydrocarbons, low viscous	AGW	600 mg/m3	Germany. TRGS 900, Limit Values in the Ambient Air at the Workplace

8.2 Exposure controls

Appropriate engineering

controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been

established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information: Wash hands before breaks and after work. Use personal protective

equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to inhandling the chemicals or the mineral oil products.

Safety glasses (EN 166) recommended during refilling. **Eye/face protection:**

Skin protection

Hand Protection: Material: Nitrile butyl rubber (NBR). Min. Breakthrough time: >= 480 min.

> Recommended thickness of the material: 0,33 mm Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove

> supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact

break through time has to be found out by the manufacturer of the

protective gloves and has to be observed.

Other: Do not carry cleaning cloths impregnated with the product in trouser

pockets. Wear suitable protective clothing.

Respiratory Protection: Do not breathe dust/fume/gas/mist/vapors/spray. Provide adequate

ventilation. In case of inadequate ventilation wear respiratory protection.

Filter AX.

Thermal hazards: No decomposition if used according to specifications.

Issue Date: 29.05.2015 Revision Date: 25.11.2015 Print date:: 11.04.2018

SDS DE - EN - 000000000600448424

Version: 4.2



Hygiene measures: Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing to remove contaminants. Discard contaminated

footwear that cannot be cleaned.

Environmental Controls: No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state: Aerosols
Form: Aerosols
Color: Amber
Odor: Slight

Odor Threshold: Not applicable for mixtures

pH: not applicable

Freezing point: Not applicable for mixtures

Boiling Point: 175 °C

Flash Point: < -60 °C (DIN EN ISO 2719) **Evaporation Rate:** Not applicable for mixtures

Flammability (solid, gas): Value not relevant for classification

Flammability Limit - Upper (%)—:

Flammability Limit - Lower (%)—:

Vapor pressure:

Vapor density (air=1):

Density:

Not applicable for mixtures

Not applicable for mixtures

Not applicable for mixtures

Not applicable for mixtures

O,80 g/cm3 (15 °C) (DIN 51757)

Solubility(ies)

Solubility in Water: The product is insoluble in water.

Solubility (other):No data available.

Partition coefficient (n-octanol/water): Not applicable for mixtures

Autoignition Temperature:Value not relevant for classificationDecomposition Temperature:Value not relevant for classificationKinematic viscosity:3,5 mm2/s (20 °C, DIN 51562)Explosive properties:Value not relevant for classificationOxidizing properties:Value not relevant for classification

9.2 Other information

Minimum ignition temperature: 265 °C (DIN 51794)

SECTION 10: Stability and reactivity

10.1 Reactivity: Stable under normal temperature conditions and recommended use.

10.2 Chemical Stability: Material is stable under normal conditions.

Issue Date: 29.05.2015
Revision Date: 25.11.2015
Version: 4.2
Print date:: 11.04.2018



Product name: IKON Pflege-Spray

10.3 Possibility of hazardous

reactions:

None under normal conditions.

10.4 Conditions to avoid: Avoid heat or contamination.

10.5 Incompatible Materials: Strong oxidizing substances. Strong acids. Strong bases.

10.6 Hazardous Decomposition

Products:

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Oral

Product:

Not classified for acute toxicity based on available data.

Specified substance(s)

Butane No data available. Propane No data available.

Hydrocarbons, low LD 50 (Rat): > 5.001 mg/kg

viscous

Dermal Product:

Not classified for acute toxicity based on available data.

Specified substance(s)

Butane No data available. Propane No data available.

Hydrocarbons, low LD 50 (Rat): > 5.001 mg/kg

viscous

Inhalation Product:

Not classified for acute toxicity based on available data.

Specified substance(s)

Butane LC 50 (Rat, 4 h): 658 mg/l

Gas

Propane No data available.

Hydrocarbons, low LC 50 (Rat, 4 h): > 5.000 mg/m3

viscous Dusts, mists and fumes

Repeated dose toxicity

Product: No data available.

Issue Date: 29.05.2015
Revision Date: 25.11.2015
Version: 4.2
Print date:: 11.04.2018



Product name: IKON Pflege-Spray

Specified substance(s)

Butane No data available.
Propane No data available.
Hydrocarbons, low No data available.

viscous

Skin Corrosion/Irritation:

Product: No data available.

Specified substance(s)

Butane No data available. Propane No data available. Hydrocarbons, low No data available.

viscous

Serious Eye Damage/Eye Irritation:

Product: No data available.

Specified substance(s)

Butane No data available.
Propane No data available.
Hydrocarbons, low No data available.

viscous

Respiratory or Skin Sensitization:

Product: No data available.

Specified substance(s)

Butane No data available. Propane No data available. Hydrocarbons, low No data available.

viscous

Germ Cell Mutagenicity

In vitro

Product: No data available.

Specified substance(s)

Butane No data available.
Propane No data available.
Hydrocarbons, low No data available.

viscous

In vivo

Product: No data available.

Specified substance(s)

Butane No data available.
Propane No data available.
Hydrocarbons, low No data available.

viscous

Issue Date: 29.05.2015
Revision Date: 25.11.2015
Print date:: 11.04.2018

SDS DE - EN - 000000000600448424

Version: 4.2



Product name: IKON Pflege-Spray

Carcinogenicity

Product: No data available.

Specified substance(s)

Butane No data available. Propane No data available. Hydrocarbons, low No data available.

viscous

Reproductive toxicity

Product: No data available.

Specified substance(s)

Butane No data available.
Propane No data available.
Hydrocarbons, low No data available.

viscous

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specified substance(s)

Butane No data available.
Propane No data available.
Hydrocarbons, low No data available.

viscous

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Specified substance(s)

Butane No data available. Propane No data available. Hydrocarbons, low No data available.

viscous

Aspiration Hazard

Product: May be fatal if swallowed and enters airways.

Specified substance(s)

Butane No data available.
Propane No data available.
Hydrocarbons, low No data available.

viscous

Other Adverse Effects: No data available.

Issue Date: 29.05.2015

Revision Date: 25.11.2015

Version: 4.2

SDS DE - EN - 000000000600448424

Print date:: 11.04.2018



Product name: IKON Pflege-Spray

SECTION 12: Ecological information

12.1 Toxicity

Acute toxicity

Fish

Product: No data available.

Specified substance(s)

Butane No data available.
Propane No data available.
Hydrocarbons, low No data available.

viscous

Aquatic Invertebrates

Product: No data available.

Specified substance(s)

Butane No data available. Propane No data available. Hydrocarbons, low No data available.

viscous

Chronic Toxicity

Fish

Product: No data available.

Specified substance(s)

Butane No data available. Propane No data available. Hydrocarbons, low No data available.

viscous

Aquatic Invertebrates

Product: No data available.

Specified substance(s)

Butane No data available.
Propane No data available.
Hydrocarbons, low No data available.

viscous

Toxicity to Aquatic Plants

Product: No data available.

Specified substance(s)

Butane No data available.
Propane No data available.
Hydrocarbons, low No data available.

Issue Date: 29.05.2015 Revision Date: 25.11.2015 Print date:: 11.04.2018



Product name: IKON Pflege-Spray

viscous

12.2 Persistence and Degradability

Biodegradation

Product: No data available.

Specified substance(s)

Butane No data available. Propane No data available.

Hydrocarbons, low The product is not biodegradable.

viscous

12.3 Bioaccumulative Potential

Product: No data available.

Specified substance(s)

Butane No data available.
Propane No data available.
Hydrocarbons, low No data available.

viscous

12.4 Mobility in Soil: No data available.

Known or predicted distribution to environmental compartments

Butane No data available.
Propane No data available.
Hydrocarbons, low viscous No data available.

12.5 Results of PBT and vPvB

assessment:

The product does not contain any substances fulfilling the PBT/vPvB criteria.

12.6 Other Adverse Effects: No data available.

Water Hazard Class

(WGK):

WGK 1: slightly water-endangering.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

General information: Dispose in accordance with all applicable regulations.

Disposal methods: Discharge, treatment, or disposal may be subject to national, state, or local

laws.

European Waste Codes

16 05 04*: Gases in pressure containers (including halons) containing

dangerous substances.

Issue Date: 29.05.2015
Revision Date: 25.11.2015

Version: 4.2

Print date:: 11.04.2018 SDS DE - EN - 000000000600448424



SECTION 14: Transport information

	_	_	<i>_</i>	•	_
Δ	ı,	к	/K		וו

UN 1950 14.1 UN Number: 14.2 UN Proper Shipping Name: **AEROSOLS**

14.3 Transport Hazard Class(es)

2 Class: Label(s): 2.1 Hazard No. (ADR):

Tunnel restriction code:

14.4 Packing Group:

14.5 Environmental hazards: 14.6 Special precautions for user:

ADN

14.1 UN Number: UN 1950 14.2 UN Proper Shipping Name: **AEROSOLS**

14.3 Transport Hazard Class(es)

Class: 2 Label(s): 2.1 14.3 Packing Group: 14.5 Environmental hazards: 14.6 Special precautions for user:

IMDG

14.1 UN Number: UN 1950 14.2 UN Proper Shipping Name: **AEROSOLS**

14.3 Transport Hazard Class(es)

2.1 Class: Label(s): 2.1 EmS No.: F-D, 14.3 Packing Group: 14.5 Environmental hazards: 14.6 Special precautions for user:

IATA

14.1 UN Number: UN 1950

14.2 Proper Shipping Name: Aerosols, flammable

14.3 Transport Hazard Class(es):

Class: 2.1 Label(s): 2.1 14.4 Packing Group: 14.5 Environmental hazards: 14.6 Special precautions for user:

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Issue Date: 29.05.2015 Revision Date: 25.11.2015

Version: 4.2 Print date:: 11.04.2018 SDS DE - EN - 000000000600448424



EU Regulations

Regulation (EC) No. 2037/2000 Substances that deplete the ozone layer: none

Regulation (EC) No. 850/2004 on persistent organic pollutants: none

National Regulations

Water Hazard Class

(WGK):

WGK 1: slightly water-endangering.

15.2 Chemical safety

assessment:

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

Revision Information: Vertical lines in the margin indicate an amendment.

Wording of the H-statements in section 2 and 3

H220 Extremely flammable gas. H222 Extremely flammable aerosol.

H229 Pressurized container: May burst if heated.

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

Other information: The classification is in line with current EC lists. It is expanded, however, by

information from technical literature and by information furnished by supplier

companies. The classification results from the Conventional Method

mentioned in regulation EU 1272/2008 (CLP).

Revision Date: 25.11.2015

Disclaimer: The data contained in this safety data sheet are based on our current

knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to

the new-made material. It is the responsibility of the recipient of the product observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no

signature.

Issue Date: 29.05.2015 Revision Date: 25.11.2015

Print date:: 11.04.2018 SDS DE - EN - 00000000600448424

Version: 4.2