According to DIN EN 1303:2015-08

RN**

	Classification key							
Profile cylinder (series)	Service class	Durability	Door dimensions	Fire resistance	Operational security	Corrosion, temperature	Locking security	Attack resistance
333 RN	1	6	0	B	0	C	4	C

ix 5 N / ix 6 N**

	Classification key							
Profile cylinder (series)	Service class	Durability	Door dimensions	Fire resistance	Operational security	Corrosion, temperature	Locking security	Attack resistance
333 IX5N	1	6	0	B	0	C	2	B
333 IX6N	1	6	0	B	0	C	5	D

RS Sigma**

	Classification key							
Profile cylinder (series)	Service class	Durability	Door dimensions	Fire resistance	Operational security	Corrosion, temperature	Locking security	Attack resistance
333 SIG	1	6	0	B	0	C	6	B
333 SIGB	1	6	0	B	0	C	6	B
333 SIGMB Modular	1	6	0	B	0	C	6	D

RS 8**

	Classification key							
Profile cylinder (series)	Service class	Durability	Door dimensions	Fire resistance	Operational security	Corrosion, temperature	Locking security	Attack resistance
333 RS8	1	6	0	B	0	C	6	B
333 RS8B	1	6	0	B	0	C	6	B
333 RS8MB Modular	1	6	0	B	0	C	6	D

** = without knob design

According to DIN EN 1303:2015-08

ix HT / DAS**

	Classification key							
Profile cylinder (series)	Service class	Durability	Door dimensions	Fire resistance	Operational security	Corrosion, temperature	Locking security	Attack resistance
333 IXDAS	1	6	0	B	0	C	3	A
333 IXDASB	1	6	0	B	0	C	3	B
333 IXDASMB Modular	1	6	0	B	0	C	3	C
333 IXHT	1	6	0	B	0	C	4	B
333 IXHTB	1	6	0	B	0	C	4	B
333 IXHTMB Modular	1	6	0	B	0	C	4	C

ix Gamma**

Profile cylinder (series)								
333 IXGA	1	6	0	B	0	C	4	A
333 IXGAB	1	6	0	B	0	C	4	B
333 IXGAMB Modular	1	6	0	B	0	C	4	B

ix 6 SR**

Profile cylinder (series)								
333 IX6SR 236	1	6	0	B	0	C	6	B
333 IX6SRB 236	1	6	0	B	0	C	6	B
333 IX6SRMB 236 Modular	1	6	0	B	0	C	6	D
333 IX6SRE 232	1	6	0	B	0	C	2	B
333 IX6SREB 232	1	6	0	B	0	C	2	B
333 IX6SREMB 232 Modular	1	6	0	B	0	C	2	B
333 IX6SRE 132	1	6	0	B	0	C	5	B
333 IX6SREB 132	1	6	0	B	0	C	5	B
333 IX6SREMB 132 Modular	1	6	0	B	0	C	5	B

ix 6HT**

Profile cylinder (series)								
333 IX6HT	1	6	0	B	0	C	6	B
333 IX6HTB	1	6	0	B	0	C	6	B
333 IX6HTMTB	1	6	0	B	0	C	6	D

** = without knob design

According to DIN EN 1303:2015-08

	Classification key							
Profile cylinder (series)	Service class	Durability	Door dimensions	Fire resistance	Operational security	Corrosion, temperature	Locking security	Attack resistance
ix TECO*								
333 IXTECO	1	6	0	B	0	C	6	C
333 IXTECOB	1	6	0	B	0	C	6	B
333 IXTTECOMTB	1	6	0	B	0	C	6	D
333 IX7TE	1	6	0	B	0	C	6	C
333 IX7TE	1	6	0	B	0	C	6	B
333 IX7TEMTB	1	6	0	B	0	C	6	D
ix TWIDO*								
333 IXTWIDO	1	6	0	B	0	C	6	C
333 IXTWIDOB	1	6	0	B	0	C	6	B
333 IXTWIDOMTB	1	6	0	B	0	C	6	D
333 IX7TW	1	6	0	B	0	C	6	C
333 IX7TW	1	6	0	B	0	C	6	B
333 IX7TWMTB	1	6	0	B	0	C	6	D
ix SAT*								
333 IXSAT 140	1	6	0	B	0	C	6	B
333 IXSATB 140	1	6	0	B	0	C	6	B
333 IXSATMB 140 Modular	1	6	0	B	0	C	6	D
333 IXSAT 142	1	6	0	B	0	C	6	C
333 IXSATB 142	1	6	0	B	0	C	6	C
333 IXSATMTB 142 Modular	1	6	0	B	0	C	6	D
333 IXSATS	1	6	0	B	0	C	6	B
333 IXSATSB	1	6	0	B	0	C	6	B
333 IXSATSMB Modular	1	6	0	B	0	C	6	D
ix STAR*								
333 IXSTAR	1	6	0	B	0	C	6	B
333 IXSTARB	1	6	0	B	0	C	6	C
333 IXSTARMB Modular	1	6	0	B	0	C	6	D
333 IXSTARC	1	6	0	B	0	C	6	B
333 IXSTARBC	1	6	0	B	0	C	6	C
333 IXSTARMBC Modular	1	6	0	B	0	C	6	D

* = without knob design