



# DOM ix Teco<sup>®</sup>

Easy access to superior security



## The benefits

- Easier key entry.
- Secure anything.
- Resists common burglary methods.





# DOM ix Teco<sup>®</sup>

Easy access to superior security.

---

Your DOM ix Teco cylinder offers the perfect balance of superior security without going overboard on features, or price! It's the ideal work horse for securing your home, allowing you to enjoy the ease of use and level of security of a reversible key all around the house.

---





# Impressed and Impressive

A small detail  
with big consequences.

---

Not only is a reversible key much easier to use - there's no right or wrong way to insert it - but the DOM ix Teco also offers a much greater level of security thanks to a little indent on the key blade. This impressed recess actually makes it extremely hard to replicate your key. Who knew that such a small and simple detail could add such an impressive extra layer of security?

---

## Features

---

- Easy and convenient key entry.
- Suitable for a wide range of applications from front doors to mailboxes, all operated with the same key.
- Suitable for complex masterkey systems for large buildings.
- Optional modular technology with hardened steel for better protection against violent “breaking” and “core pulling” of the cylinder.
- Resistant to the most common burglary methods, such as knocking and other manipulation techniques.
- Matched to all common security fittings with anti-core pulling function.
- Durable and wear-resistant key made of nickel silver.


# Certified and qualified

Secure yourself with top marks.

---

You wouldn't guess by the look of it, but your DOM ix products are filled to the brim with innovative technology, patents and intelligent security. All adding up to security that can live up to your expectations and requirements. If there's one thing these accolades can tell you, it's that you can rest assured you've made the right decision.

---



Inspected. Approved. Safe.




Extra-strength  
burglar resistance



CE Fire resistant



Freewheel cylinder  
for gear locks



Patented



DIN EN1303

---



# Variants for endless combinations

All you need to  
perfectly secure your home.

The DOM ix Family comes in countless variations, each with its own unique properties and features. Because not every access point has the same security requirements: your front door is very different from a top floor window. The DOM ix Range provides specific solutions for everything. These can be combined to create security perfectly suited to your home. It might be a bit of a cliché to say the possibilities are endless, but they really are.



## 333H HALF CYLINDER

Half cylinder offers key access from one side only.

Range of application: Technical doors, central entrance, Switching cylinder for lift controller.

- Adjustable cam in 8 settings
- Available with 360° freewheel functions (333FRLH).
- Available in different lengths and the flexible modular technology.
- Available with gearwheel cam 10 and 14.
- Can be incorporated into all DOM Masterkey systems.
- Optional: seawater-resistant version.



## 333 DOUBLE CYLINDER

A double cylinder offers key access from both sides.

Range of application: Front doors, cellar doors, apartment doors, etc.

- Available with 360° freewheel functions (333FRL).
- If required also lockable if the key is inserted from one side (333T).
- Can be incorporated into all DOM Masterkey systems.
- Optional: seawater-resistant version.



## 333FRL / 333FRLH

Double or half cylinder with freewheel function for gear locks.

Range of application: corridor doors, emergency exits, fire doors mortise locks with panic function.

- With cylinders which are installed in mortise locks with panic function, e.g. in corridor doors or emergency doors.
- This function ensures that both cylinder cores of the profile cylinder are free to rotate when connected to the cam when the keys are removed.
- Can be incorporated into all DOM Masterkey systems.



### 333K6 PROFILE DOUBLE CYLINDER WITH K6 KNOB

A double cylinder with knob offers key access from one side and a knob option on the other side of the door.

- Can be incorporated into all DOM Masterkey systems.
- Optional: seawater-resistant version.



### 333KRU CLASSROOM CYLINDER

Classroom cylinder with KRL knob and friction clutch.

Range of application: in public institutions, schools, kindergartens.

- A classroom cylinder lets you unlock the door with the knob from the inside.
- Opens in any case even if the cylinder was locked by an authorized key from the outside.
- Can be incorporated into all DOM Masterkey systems



### 555 TAILPIECE CYLINDER

The outer cylinder for screw-in locks is for use in wooden and metal doors.

Range of application: box locks, additional locks, garage door locks.

- Version for wooden doors 555P
- Version for metal doors 555R



### 382 HEAVY CYLINDER CAM LOCK

Lever cylinders are used, for example, to lock steel doors. The attached lever is actuated by the closing process and functions as a bolt.

Range of application: Letter boxes, lockers, safes, boxes,

wardrobe lockers, inspection flaps, vending machines, etc.



### VARIO-DOUBLE CYLINDER-SQUARE CORE WITH K6 KNOB

Locked from one side with knob and from the other side with 8 mm square key.

Range of application: garbage can containers, switch cabinets, etc.

- 8 mm square.
- Also available as half cylinder.
- Available with knob version K6 or with square on both sides.



### 2222 SWISS ROUND CYLINDER

Swiss round cylinder offers key access from both sides.

Range of application: Front doors, cellar doors, apartment doors, etc. specially for the Swiss market.

- If required also lockable if the key is inserted from one side (333T).
- Can be incorporated into all DOM Masterkey systems.
- Optional: seawater-resistant version.



### 777G3 PADLOCK

Range of application: Grilles, doors, gates, cabinets, tool boxes, basement windows, sheds, switchgear, barriers, etc.

- Clear shackle height: 32 mm.
- Housing width: 56 mm.
- Classification according to EN 12320 Grade 3.
- Standard: forced locking.
- Optional: with self-locking.
- Can be delivered with clear shackle height 60 mm or 120 mm on request.
- Compatible with any Euro profile half cylinder.




### 777G5 HEAVY PADLOCK

Heavy-duty padlock for protection of larger valuables / objects or in the event of a high risk of theft.

Range of application: Grilles, doors, gates, cabinets, tool boxes, basement windows, sheds, switchgear, barriers, etc.

- A padlock with grade 5 security class according to EN 12320.
- Compatible with any Euro profile half cylinder.

*“All you need to perfectly secure your home.”*





# The finishing touch

Customize colours and knobs.

All cylinders can be supplied in various metal colour options through an electroplating dye process. This may seem a subtle difference, but a coloured cylinder can truly alter the look of your doors, making every detail match your carefully designed interior style. Choosing your knob not only further complements this, but it can change the way you interact with your doors, and how they feel. Perfect security with the perfect look and feel.

## Knobs



## Colours

---



01  
Dull Nickel



03  
Matt Chrome



04  
Bright Chrome



05  
Satin Brass



06  
Polished Brass



07  
Light Oxidised Bronze



09  
Dark Oxidised Antique




25  
Gold Plated

---

*“Everyone and everything of value deserves to be kept secure, without compromise.”*

---





DOM-SECURITY.COM

---

## WE **DOM**ORE FOR SECURITY

We believe everyone and everything of value deserves to be kept secure, without compromise. That is why you can count on us to help you create the perfect security for your home. Together with your trusted security experts we will do whatever it takes to make your home the safest place it can be. Now and in the future.

Your professional security advisor:

If you have any questions or would like to order DOM products, don't hesitate to contact us. You will find our contact information at [www.dom-security.com](http://www.dom-security.com)

Subject to technical modifications

MKTIBE299065